SATELLITE COMMUNICATIONS

PAYLOAD AND SYSTEM

SECOND EDITION

TERESA M. BRAUN AND WALTER R. BRAUN

Being published by the IEEE Press and John Wiley & Sons, due out in September 2021

CONTENTS

1 INTRODUCTION 1
1.1 End-to-End Satellite Communications System 1
1.2 What the Book Is About 2
1.3 Channel and Channel Sharing 3
1.4 Payload 4
1.4.1 Bent-Pipe Payload 4
1.4.2 Processing Payload 6
1.5 Ground Transmitter and Ground Receiver 7
1.6 System Example 7
1.7 Conventions 9
1.8 Book Sources 10
1.9 Summary of Rest of Book 10
References 13

PART I. PAYLOAD 15

2 PAYLOAD'S ON-ORBIT ENVIRONMENT 17
2.1 What Determines Environment 17
2.1.1 Orbit 17
2.1.2 GEO Spacecraft's Layout and Attitude 20
2.1.3 GEO Spacecraft's Payload Configuration 21
2.1.4 Non-GEO Spacecraft Layout and Attitude 22
2.2 On-Orbit Environment and Mitigation by Spacecraft Bus 25
2.2.1 Thermal 25
2.2.2 Aging 32
2.2.3 Radiation 32
2.2.4 Orbit Disturbances 34
2.2.5 Attitude Disturbances 36
2.3 General Effects of Mitigated Environment on Payload 37
2.3.1 Temperature-Variation Effects 37
2.3.2 Radiation Effects 39
2.3.3 Aging Effects 41
2.3.4 Antenna Gain Variation 42
References 42

3 ANTENNA BASICS AND SINGLE-BEAM ANTENNA 46
3.1 Introduction 46
3.2 Examples of Single-Beam Antenna 47
3.3 General Antenna Concepts 48
3.3.1 Beams 48
3.3.2 Aperture 49
3.3.3 Antenna Pattern 50
3.4 Reflector-Antenna Basics 55
3.4.1 Paraboloidal Reflector Concepts 55
3.4.2 Single-Reflector Single-Beam Antenna 56
3.4.3 Dual-Reflector Single-Beam Antenna 57
3.5 Steerable Single-Beam Antennas 61
3.6 Reflector Technology for Single-Beam Antennas 62
3.7 Horn for Single-Beam Antennas 63
3.7.1 Horn Types 63
3.7.2 Horn as Antenna 65
3.7.3 Horn as Feed for Reflector 67
3.8 Other Antenna Components 67
3.8.1 Orthomode Transducer and Polarizer 68
3.8.2 Diplexer 70
3.9 Antenna Pointing Error 71
3.10 Antenna Autotrack 73
3.11 Reflector-Antenna Inefficiencies 76
3.11.1 Summary 76
3.11.2 Aperture Illumination and Spillover 78
3.11.3 Blockage 79
3.11.4 Cross-Polarization 79
3.11.5 Thermal Distortion 80
3.12 Testing 81
References 84

4 PAYLOAD-INTEGRATION ELEMENTS 90
4.1 Introduction 90
4.2 Coaxial Cable vs. Waveguide 90
4.3 Coaxial Cable 91
4.3.1 Coax Construction 91
4.3.2 Coax Performance 93
4.3.3 Coax Environmental 93
4.3.4 Connector and Adapter 95
4.3.5 Propagation in Coax 95
4.4 Waveguide 96
4.4.1 Rectangular Waveguide Construction 96
4.4.2 Rectangular Waveguide Performance 98
4.4.3 Waveguide Environmental 98
4.4.4 Flange and Wavegide Assemblies 99
4.4.5 Propagation in Rectangular and Circular Waveguide 100
4.5 Other Integration Elements 103
4.6 Redundancy Configurations 107
4.7 Impedance Mismatch and Scattering Parameters 111
4.7.1 Impedance Mismatch 111

4.7.2 Scattering Parameters 114
References 116

5 MICROWAVE FILTER 118
5.1 Introduction 118
5.2 Basics of Analog Filters 119
5.2.1 Filter Bandforms 119
5.2.2 Filter Representation 119
5.2.3 Bandpass-Filter Bandwidth 120
5.2.4 Filter Response Classes 121
5.2.5 Network Synthesis 122
5.2.6 All-Pass Filter for Phase Equalization 124
5.3 Basics of Specifically Microwave Filters 125
5.3.1 Resonator 125
5.3.2 Resonator Coupling and Canonical Filter 126
5.3.3 Extracted Pole Technique 128
5.3.4 Phase Self-Equalization 128
5.3.5 Q Factor 129
5.3.6 Resonators with Improved Q Factor 130
5.4 Technology for Bandpass Filters 130
5.4.1 Empty-Cavity Waveguide Filter 130
5.4.2 Dielectric-Resonator Filter 132
5.4.3 Coaxial-Cavity Filter 134
5.5 Filter Units 135
5.5.1 Preselect Filter 135
5.5.2 Multiplexer in General 135
5.5.3 Special Channel Filters 136
5.5.4 Input Multiplexer 136
5.5.5 Output Multiplexer 137
5.5.6 Technology Application to Multiplexers 141
5.6 Bandpass Filter Specification 141
References 142

6 LOW-NOISE AMPLIFIER AND FREQUENCY CONVERTER 146
6.1 Introduction 146
6.2 LNAs and Frequency Converters in Payload 147
6.2.1 Architecture in Payload 147
6.2.2 Redundancy Scheme 147
6.2.3 Combining 148
6.3 Nonlinearity of LNA and Frequency Converter 149
6.3.1 Intermodulation Products 149
6.3.2 Amplifier Nonlinearity Characterization 151
6.3.3 Frequency Converter Nonlinearity Characterization 153
6.4 Noise Figure 153
6.5 Low-Noise Amplifier 154
6.5.1 LNA Unit Architecture and Technology 154
6.5.2 LNA Environmental 156
6.5.3 LNA Specification 156
6.5.4 LNA Performance 156
6.6 Frequency Converter 156
6.6.1 Frequency Conversion Architecture 156

6.6.2 Frequency-Converter Unit Packaging 158
6.6.3 Frequency-Converter Unit Architecture and Function 159
6.6.4 Mixer 161
6.6.5 Reference Oscillator 162
6.6.6 Phase Noise and Local Oscillator Generation 164
6.6.7 Local Oscillator Technology 167
6.6.8 Frequency Converter Environmental 169
6.6.9 Frequency Converter Specification 169
6.7 Receiver 169
6.A Appendix. Formula for Integrating Phase Noise Spectrum 170
References 171

7 PREAMPLIFIER AND HIGH-POWER AMPLIFIER 175
7.1 Introduction 175
7.2 HPA Concepts and Terms 176
7.2.1 HPA Nonlinearity Description 176
7.2.2 HPA Nonlinearity Specification Parameters 178
7.2.3 Other HPA Specification Parameters 180
7.2.4 Power Efficiency 180
7.3 Traveling-Wave Tube Amplifier versus Solid-State Power Amplifier 181
7.3.1 General Tradeoff 181
7.3.2 Gallium Arsenide SSPA versus TWTA 183
7.3.3 Gallium Nitride SSPA versus TWTA 183
7.4 Traveling-Wave Tube Subsystem 183
7.4.1 Introduction 183
7.4.2 TWTA Subsystems in Payload 184
7.4.3 TWTA Subsystem Architecture 186
7.4.4 Channel Amplifier 188
7.4.5 Linearizer 190
7.4.6 Electronic Power Conditioner 191
7.4.7 Traveling-Wave Tube 192
7.4.8 TWTA Subsystem Specification 198
7.4.9 TWTA Subsystem Performance 199
7.4.10 Flexible TWTA Subsystem 199
7.4.11 TWTA Subsystem Environmental 199
7.4.12 TWTA Reliability 202
7.5 Solid-State Power Amplifier 203
7.5.1 SSPAs in Payload 203
7.5.2 SSPA Unit Architecture and Technology 203
7.5.3 GaAs SSPA Behavior 205
7.5.4 GaN SSPA Behavior 207
7.5.5 Flexible SSPA 207
7.5.6 SSPA Environmental 209
7.5.7 SSPA Specification 210
7.5.8 SSPA Performance 212
References 212

8 PAYLOAD'S ANALOG COMMUNICATIONS PARAMETERS 218
8.1 Introduction 218
8.2 Gain Variation with Frequency 220
8.2.1 What Gain Variation with Frequency Is 220

8.2.2 Where Gain Variation with Frequency Comes from 222
8.2.3 How Gain Variations with Frequency at Unit Level Carry to Payload Level 223
8.2.4 How to Verify Gain Variation with Frequency 224
8.3 Phase Variation with Frequency 224
8.3.1 What Phase Variation with Frequency Is 224
8.3.2 Where Phase Variation with Frequency Comes from 225
8.3.3 How Phase Variations with Frequency at Unit Level Carry to Payload Level 226
8.3.4 How to Verify Phase Variation with Frequency 226
8.4 Channel Bandwidth 227
8.5 Phase Noise 227
8.6 Frequency Stability 228
8.7 Spurious Signals from Frequency Converter 229
8.8 HPA Nonlinearity 230
8.9 Near-Carrier Spurious Signals from HPA Subsystem 230
8.9.1 What HPA-Subsystem Spurious Signals Are 230
8.9.2 Where HPA-Subsystem Spurious Signals Come from 231
8.9.3 How HPA-Subsystem Spurious Signals Carry to Payload Level 232
8.9.4 How to Verify HPA-Subsystem Spurious Signals 232
8.10 Stability of Gain and Power-Out 232
8.10.1 What Gain Stability and Power-Out Stability Are 232
8.10.2 Where Gain Stability and Power-Out Instability Come from 232
8.10.3 How Gain Stability and Power-Out Stability Carry to Payload Level 233
8.10.4 How to Verify Gain Stability and Power-Out Stability 233
8.11 Equivalent Isotropically Radiated Power 233
8.12 Figure of Merit G/T_s 234
8.12.1 What G/T_s Is 234
8.12.2 How to Verify G/T_s 236
8.13 Saturation Flux Density 237
8.14 Self-Interference 237
8.14.1 What Self-Interference Is 237
8.14.2 Where Self-Interference Comes from 237
8.14.3 How Self-Interference Carries to Payload Level 238
8.14.4 How to Verify Self-Interference 239
8.15 Passive Intermodulation Products 239
8.A Appendices 240
8.A.1 Relation of Gain and Phase Ripple 240
8.A.2 Independence of G/T_s on Reference Location 240
References 242

9 MORE ANALYSES FOR PAYLOAD DEVELOPMENT 243
9.1 Introduction 243
9.2 How to Deal with Noise Figure 243
9.2.1 Noise at Output of Passive Element 244
9.2.2 Gain and Noise Figure of Two-Element Cascade 244
9.2.3 Playing Off Gains and Attenuations 244
9.3 How to Make and Maintain Payload Performance Budgets 246
9.3.1 Payload Requirements Analysis 246
9.3.2 Example Budget without Uncertainty: Signal and Noise Levels 247
9.3.3 Dealing with Impedance Mismatch 250
9.3.4 Dealing with Uncertainty in Budgets 250
9.3.5 Keeping Margin in Budgets 258

9.3.6 Maintaining Budget Integrity 259
9.4 HPA Topics 260
9.4.1 How to Know If HPA Nonlinearity Should Be Specified on C/3IM or NPR 260
9.4.2 How to Ease Payload Integration of Combined TWTAs 261
9.5 What Nonlinearity Does to Modulated Signal 264
9.5.1 In Terms of Intermodulation Products 264
9.5.2 In Terms of Spectrum-Spreading 267
9.5.3 In Terms of Power-Robbing 267
9.6 Simulating Payload Performance as a Function of Gaussian Random Variables 268
References 269

10 PROCESSING PAYLOAD AND FLEXIBLE PAYLOAD 270
10.1 Introduction 270
10.1.1 Why a Processing Payload 270
10.1.2 System Connectivity 271
10.1.3 Terminology 272
10.1.4 Regenerative versus Non-Regenerative Processing Payload 272
10.1.5 Flexible Payload 273
10.1.6 Digital versus Analog Processors 274
10.1.7 Payload Architecture 275
10.2 Processing Operations 276
10.2.1 Analog-to-Digital Conversion 276
10.2.2 Digital-to-Analog Conversion 278
10.2.3 Digital Filtering 279
10.2.4 Analog Filtering 282
10.2.5 Routing 283
10.2.6 Digital Beam-Forming 283
10.3 Non-Regenerative Processing Payloads 283
10.3.1 Summary of Some Current Payloads 283
10.3.2 SES-12 and 14 285
10.3.3 SES-17 287
10.4 Regenerative Payloads 287
10.4.1 Summary of Some Current Payloads 287
10.4.2 Amazonas 2 289
10.4.3 Spaceway 3 289
10.5 Communications Parameters of Digital Processing Payload 291
10.5.1 For Non-Regenerative Payload 291
10.5.2 For Regenerative Payload 291
References 291

11 MULTI-BEAM ANTENNA AND PHASED ARRAY 297
11.1 Introduction 297
11.2 MBA Introduction 298
11.2.1 Beams 298
11.2.2 Pointing Error 300
11.2.3 Types 300
11.2.4 Choosing Type 301
11.3 Reflector for MBA or Contoured Beam and Configuration of Feeds 302
11.3.1 For C-, Ku-, and Ka/K-Bands 303
11.3.2 For L- and S-Bands 307
11.4 Horn and Feed Assembly for GEO 308

11.4.1 Potter Horn 308
11.4.2 SCRIMP Horn of Wolf and Sommer 309
11.4.3 High-Efficiency Horn in General 309
11.4.4 High-Efficiency Horns of Bhattacharyya 311
11.4.5 Dual-Band High-Efficiency Horns of Rao 312
11.4.6 Dual-Band High-Efficiency Horn of MDA 313
11.4.7 Dual-Band, High-Efficiency, Spline-Profile Horns of Thales Alenia 313
11.5 Location of Radiating Elements in Offset-Fed Reflector MBA 314
11.5.1 Nominal Location of Radiating Elements 315
11.5.2 Laterally Displaced Radiating Elements 315
11.5.3 Axially Displaced Radiating Elements 316
11.6 Single-Feed-Per-Beam MBA 317
11.7 Phased Array Introduction 319
11.7.1 Phasing Principle 319
11.7.2 When Element Signals Have Equal Amplitudes 320
11.7.3 When Element Signals Have Unequal Amplitudes 322
11.8 Radiating Element of Phased Array 322
11.8.1 Horn 324
11.8.2 Cup-Horn 324
11.8.3 Helix 325
11.8.4 Patch or Ring-Slot Radiator 325
11.8.5 Patch-Excited Cup 326
11.9 Beam-Forming Network 327
11.9.1 Phases or Delays 328
11.9.2 Onboard or on the Ground 328
11.9.3 Onboard Analog or Digital 329
11.10 Applications of Phased Array 330
11.10.1 Multiple-Feed-Per-Beam MBA 330
11.10.2 Full PA-Fed Reflector Antenna 331
11.10.3 Direct-Radiating Array 332
11.11 Beam-Hopping 333
11.12 Amplification of Phased Array 334
11.12.1 Passive, Active, or Semiactive Array 334
11.12.2 Transmit/Receive Module 336
11.12.3 Multiport Amplifier 337
11.12.4 Multiport Amplifier Applications 338
11.12.5 Multimatrix Amplifier and Applications 340
11.13 Phased Array Pointing Error 341
11.14 Mutual Coupling in Radiating-Element Cluster 342
11.15 Testing MBA 343
References 344

PART II. END-TO-END SATELLITE COMMUNICATIONS SYSTEM 353

12 DIGITAL COMMUNICATIONS THEORY 355
12.1 Introduction 355
12.2 Signal Representation 356
12.2.1 RF Signal Representation 356
12.2.2 RF Signal's Equivalent Baseband Representation 357
12.2.3 Signal Spectrum 358
12.3 Filtering in General 361

12.3.1 Filter Representations 361
12.3.2 Filtering A Signal 362
12.4 White Gaussian Noise 363
12.5 End-to-End Communications System 364
12.6 Bit Manipulation 365
12.6.1 Scrambler 365
12.6.2 Forward Error-Correcting Encoder 365
12.6.3 Interleaver 368
12.7 Modulation Introduction 369
12.8 Memoryless Modulation 370
12.8.1 Modulation Schemes 370
12.8.2 Bit Mapper 374
12.8.3 Differential Encoding of PSK Schemes 375
12.8.4 Pulse-Shaping Filter 375
12.8.5 Carrier Modulation 378
12.9 Maximum-Likelihood Estimation 379
12.10 Demodulation for Memoryless Modulation 380
12.10.1 Detection Filter 380
12.10.2 Carrier Recovery 384
12.10.3 Carrier Demodulation 386
12.10.4 Timing Recovery 387
12.10.5 Sampling 387
12.10.6 Symbol Decision, SER, and MER 388
12.11 Modulation with Memory 390
12.11.1 Modulation Schemes 390
12.11.2 Modulation Spectrum 392
12.12 Maximum-Likelihood Sequence Estimation 392
12.13 Demodulation for Modulation with Memory 393
12.14 Bit Recovery 394
12.14.1 Descrambler and Deinterleaver 394
12.14.2 Decoder and BER 394
12.15 Inter-Symbol Interference 395
12.15.1 From Bandlimiting Filters 396
12.15.2 From Pulse-Shaping and Detection Filters 398
12.15.3 From Imperfect Synchronization 399
12.16 SNR, E_s/N_0, and E_b/N_0 399
12.16.1 General Definitions 399
12.16.2 Values at Sampler Output 400
12.A Appendix. Sketch of Proof That Pulse Transform and Signal Spectrum Are Related for Memoryless Modulation 402
References 403

13 SATELLITE COMMUNICATIONS STANDARDS 405
13.1 Introduction 405
13.2 Background 406
13.2.1 OSI Model of Communications 406
13.2.2 Multiple Access Methods 408
13.2.3 Adaptive Coding and Modulation 409
13.3 Application Examples of First-Generation Standards 411
13.3.1 How Communications Look to User Terminal 411
13.3.2 Amazonas 2 411

13.3.3 Spaceway 3 412
13.4 Second-Generation DVB Communications Standards 412
13.4.1 DVB-S2 Standard for Forward Link 413
13.4.2 DVB-S2X Standard for Forward Link 417
13.4.3 DVB-RCS2 Standard for Return Link 418
13.5 Satmode Communications Standard 420
13.5.1 Satmode Standard 420
13.5.2 Implementation 421
References 422

14 COMMMUNICATIONS LINK 425
14.1 Introduction 425
14.2 Primary Information Sources 426
14.3 Link Availability 426
14.4 Signal Power on Link 428
14.4.1 Introduction 428
14.4.2 Free-Space Loss 429
14.4.3 Atmosphere-Caused Attenuation for Carrier Frequencies from 1 to 10 GHz 430
14.4.4 Atmosphere-Caused Attenuation for Carrier Frequencies above 10 GHz 432
14.4.5 Loss and Variation from Antenna Polarization Mismatch 443
14.5 Noise Level on Link 444
14.6 Interference on Link 446
14.6.1 Interference-Discrimination Domains 446
14.6.2 Adjacent-Channel Interference 447
14.6.3 Co-Channel Interference 448
14.6.4 Cross-Polarized Interference 449
14.6.5 Interference to GEO 451
14.6.6 Non-GEO Constellation Self-Interference 452
14.6.7 Non-GEO Constellations' Mutual Interference 453
14.7 End-to-End $C/(N_0 + I_0)$ 456
14.8 Link Budget 458
14.9 Implementation Loss Item in Link Budget 461
References 461

15 PROBABILISTIC TREATMENT OF DOWNLINK MARGIN FOR MULTI-BEAM PAYLOAD 465
15.1 Introduction 465
15.2 Multi-Beam-Downlink Payload Specifications 466
15.3 Analysis Method 467
15.4 Analysis Assumptions 468
15.5 Repeater-Caused Variation of C and C/I_{self} and Nominal Value 469
15.5.1 Variation Contributions from CAMP 470
15.5.2 Nominal-Value Contribution from TWTA 470
15.5.3 Measurement Uncertainty in P_{out} 471
15.5.4 Variation Contribution from OMUX 472
15.5.5 Variation Contribution from Other Post-TWTA Hardware besides OMUX 472
15.5.6 Summary of Repeater Units' Variation and Nominal-Value Contribution 472
15.5.7 Repeater-Caused Variation and Nominal Value of C and C/I_{self} 473
15.6 Combining Antenna-Caused Variation and Nominal Value into Repeater-Caused Variation 476
15.6.1 Variation Contribution from Antenna-Gain Inaccuracy 476
15.6.2 Variation Contribution from Antenna-Pointing Error 477

15.6.3 Payload-Caused C Variation 478
15.6.4 Payload-Caused C/I_{self} Variation 478
15.6.5 Payload-Caused Variation and Nominal Value of $C/(I+N)$ 479
15.7 Combining Atmosphere-Caused Variation into Payload-Caused Variation 480
15.8 Optimizing Multi-Beam-Downlink Payload Specified on Link Availability 482
15.A Appendix. Iteration Details for Optimizing Multi-Beam Payload Specified on Link Availability 483
15.A.1 Approximate Rain-Attenuation Function and Its Inverse 483
15.A.2 Atmospheric Attenuation Function and Its Inverse 484
15.A.3 Details of Iteration 484

16 MODEL OF END-TO-END COMMUNICATIONS SYSTEM 485
16.1 Introduction 485
16.2 Considerations for Both Software Simulation and Hardware Emulation 486
16.2.1 System Model 486
16.2.2 Know the Whole Communications System 487
16.2.3 What Results Modeling Can Provide 488
16.2.4 Generating Symbol Stream Plus Noise 488
16.2.5 Modeling Interferers 489
16.3 Additional Considerations for Simulation 490
16.3.1 Pitfalls of Simulation 491
16.3.2 System Model Specialized to Simulation 492
16.3.3 Basic Signal-Processing Considerations 493
16.3.4 Simulating Additive Noise 494
16.3.5 Filtering in General 495
16.3.6 How to Incorporate a Measured Filter into Simulation 495
16.3.7 HPA Model 496
16.3.8 Carrier and Timing Recovery 497
16.3.9 Imperfect Synchronization 497
16.3.10 How to Generate Random Numbers of Any Probability Density 497
16.3.11 Coding, Decoding, and Interleaving 498
16.3.12 Some Instructive Simulation Results 498
16.3.13 Calibrating a Simulation 500
16.4 Additional Considerations for Emulation 501
16.4.1 Emulating Uplink 501
16.4.2 Emulating Downlink 502
16.4.3 Matching Gain Tilt and Parabolic Phase 502
References 504

PART III. SATELLITE COMMUNICATIONS SYSTEMS 505

17 FIXED AND BROADCAST SATELLITE SERVICES 507
17.1 Introduction 507
17.2 Satellite Television 508
17.3 Regulations in General 510
17.4 Fixed Satellite Service 510
17.4.1 Services 511
17.4.2 VSAT 511
17.4.3 Regulations Specific to FSS 513
17.4.4 Examples of Satellites Providing FSS 516
17.5 Broadcast Satellite Service 521

17.5.1 Regulations Specific to BSS....521
17.5.2 Examples of Satellites Providing BSS....522
References....526

18 HIGH-THROUGHPUT SATELLITES....530
18.1 Introduction....530
18.2 Frequency and Bandwidth....533
18.3 Residential Internet HTS....535
18.3.1 Typical System Architecture....535
18.3.2 Payload Architecture....538
18.3.3 Antennas....541
18.3.4 Air Interface....542
18.4 VSAT Services HTS....544
References....546

19 NON-GEOSTATIONARY SATELLITE SYSTEMS....550
19.1 Introduction....550
19.2 Iridium....552
19.2.1 Overview....552
19.2.2 Spacecraft....552
19.2.3 Antennas....553
19.2.4 Radio Interfaces....554
19.2.5 Payload Architecture....557
19.2.6 Services....557
19.3 Globalstar....559
19.3.1 Overview....559
19.3.2 Spacecraft....560
19.3.3 Antennas....560
19.3.4 Radio Interfaces....561
19.3.5 Payload Architecture....564
19.3.6 Services....564
19.4 O3b....564
19.4.1 Overview....564
19.4.2 Spacecraft....565
19.4.3 Antennas....565
19.4.4 Services....567
19.4.5 Radio Interfaces....567
19.4.6 Payload Architecture....569
19.4.7 Repeater....570
19.4.8 Ground Segment....571
19.5 OneWeb....571
19.5.1 Overview....571
19.5.2 Spacecraft....572
19.5.3 Antennas....573
19.5.4 Services....575
19.5.5 Radio Interfaces....575
19.5.6 Payload Architecture....576
19.5.7 Ground and User Segments....577
19.6 Starlink....577
19.6.1 Overview....577
19.6.2 Spacecraft and Payload....578

19.6.3 System 578
19.6.4 Radio Interfaces 580
19.6.5 Antennas 580
19.6.6 Ground and User Segments 582
19.7 Telesat LEO 583
19.7.1 Overview 583
19.7.2 Services 584
19.7.3 Satellite 584
19.7.4 Radio Interfaces 584
19.7.5 Antennas 585
References 585

20 MOBILE SATELLITE SYSTEMS 591
20.1 Introduction 591
20.1.1 Regulations 591
20.1.2 Summary of Some MSS Systems 592
20.2 Thuraya 594
20.2.1 Spacecraft 596
20.2.2 Coverage Area and Services 597
20.2.3 Ground and User Segments 598
20.2.4 Frequencies and Beams 598
20.2.5 Air Interface 599
20.2.6 Satellite-System Architecture 600
20.2.7 Payload 601
20.3 Inmarsat-4 and Alphasat 604
20.3.1 Spacecraft 604
20.3.2 Coverage Area and Services 606
20.3.3 Ground and User Segments 607
20.3.4 Frequencies and Beams 608
20.3.5 Air Interface 611
20.3.6 Payload 612
20.4 TerreStar/EchoStar XXI 620
20.4.1 TerreStar History 620
20.4.2 Spacecraft 621
20.4.3 TerreStar Coverage Area and Services 622
20.4.4 TerreStar Ground and User Segments 622
20.4.5 Frequencies and Beams 623
20.4.6 Air Interface 624
20.4.7 Payload 624
20.4.8 EchoStar Mobile's Use of EchoStar XXI 626
20.5 SkyTerra 628
20.5.1 History 628
20.5.2 Spacecraft 630
20.5.3 Coverage Area and Services 630
20.5.4 Ground and User Segments 632
20.5.5 Frequencies and Beams 632
20.5.6 Air Interface 633
20.5.7 Satellite-System Architecture 634
20.5.8 Payload 634
20.6 Inmarsat-5 (Global Xpress) F1-F4 637
20.6.1 Spacecraft 638

20.6.2 Coverage Area and Services 639
20.6.3 Ground and User Segments 640
20.6.4 Satellite Beams 641
20.6.5 Frequencies 642
20.6.6 Air Interface 644
20.6.7 Payload 645
References 647

A APPENDICES 658
A.1 Decibel 658
A.2 Fourier Transform 659
A.3 Elements of Probability Theory 660
A.3.1 Introduction 660
A.3.2 Definition of Random Variable and Probability Density Function 660
A.3.3 Mean, Standard Deviation, and Correlation 661
A.3.4 Sum of Random Variables 662
A.3.5 Gaussian Probability Density Function 663
A.3.6 Uniform Pdf 665
A.3.7 Pdf of Diurnal Illumination Variation of GEO Panels 665
A.3.8 Pdf of Diurnal Variation in Delta of East and West Panel Illumination 666
A.3.9 Central Limit Theorem 667
A.4 Gauss-Hermite Integration to Approximate Expected Value of Function of Gaussian Random Variable 668
Reference 671